

INDEX MAPS.

T.12N. R. 13E. 2nd Mer.

301	302	302	303	303	303
304 6	325 5	326 4	326 3	327 2	328 1
321	325-326	325-326	324-327	324-328	324
304 7	321 8	322 9	322 10	323 11	323 12
317	321-322	320-322	320-323	319	320
304 18	317 17	318 16	318 15	319 14	329 13
314	317-318	317-318	316-319	316	329
305 19	314 20	314 21	315 22	316 23	329 24
308	313-314	313-315	313-316	313	328
305 30	308 29	309 28	310 27	312 26	328 25
307	309	310	311	311	
305 31	307 32	308 33	310 34	311 35	36
300	300	300	301	301	

T.13N. R. 13E. 2nd Mer.

337	336-337	336-337	336-338	336-338	336-338
340 6	361 5	362 4	363 3	363 2	364 1 334
361	361-362	360-362	360-363	360-364	360
340 7	357 8	357 9	358 10	358 11	359 12 334
356-357	356-357	356-358	356-358	355-359	359
340 18	353 17	353 16	354 15	354 14	355 13 335
352-353	352-353	352-354	352-354	351-355	351
339 19	348 20	349 21	349 22	350 23	351 24 335
348	347-348	347-349	347-349	347-350	350
339 30	341 29	342 28	344 27	345 26	346 25
341	342	343	344	345	346
338 31	341 32	342 33	343 34	344 35	345 36
332	332	332	333	333	333

The figures on the lines refer to the page.

Township N^o. 13 North, Range 13 East 2nd Mer. Ind^a.

Township Lines.

South Boundary.

Monday Oct. 15th 1810.

East On S. side of Sec. 31.

18.00 a Brook 3 lks. wide Course N.

25.00 a Do. 4 " " " N.

32.20 a Beech 12 in. diam.

40.00 Set q. sec. post. from which
a Beech 10 in. dia. bears S 22 W. 20 lks. dist.

a Do. 24 " " bears N 29 E. 50 " "

45.00 a Brook 5 lks. wide Course N. W.

50.00 a Spring course S.

56.80 a Beech 16 in. diam.

80.00 Set post Cor. to Sec. 31 & 32, from wh.

a Wh. Oak 30 in. dia. bears N 51 E. 18 lks.

& a Wh. Oak 40 " " " N 75 W. 41 " dist.

Willy Beech land.

East On S. side of Sec. 32.

9.00 a Brook 5 lks. wide Course N.

40.00 Set q. sec. post. from which

a Sugar 8 in. dia. bears N 69 E. 10 lks. dist. &

a Do. 14 " " " S 46 W. 26 " "

80.00 Set post Cor. to Sec. 32 & 33, from wh.

a Beech 18 in. dia. bears N 77 W. 34 lks. dist.

a Do. 24 " " " S 55 E. 17 " "

Willy Beech land.

East On S. side of Sec. 33.

21.00 a Brook 3 lks. wide Course S.

40.00 Set q. sec. post. from which

a Beech 10 in. dia. bears N 54 W. 21 lks. &

a Do. 10 " " " S 9 E. 17 lks. dist.

55.00 a Brook 4 lks. wide Course S.

80.00 Set post Cor. to Sec. 33 & 34, from wh.

a Beech 30 in. diam. bears S 85 W. 17 lks. dist. &

T. 13 N. R. 13 E. 2nd Mer. Indiana.

Ch. Lk. a Beech 18 in. dia. bears N 37 E. 33 Lk. dist.
Land, good. Timber: Beech Sugar
and Poplar &c.

East on S. side of Sec. 34.

10 a Brook 25 Lk. wide course S.
16.65 a Sugar 36 in. diam.
37.00 a Spring course North.
40.00 set cr. sec. post. from which
a Wh. Oak 30 in. dia. bears N 30 W. 6 Lk. dist.
a Beech 14 " " " N 71 E. 14 " "
56.00 a Spring course North.
62.00 a Wh. Oak 50 in. diam.
70.00 a Brook 10 Lk. wide course N. W.
80.00 set post cor. to Secs. 34 & 35, from wh.
a Beech 30 in. dia. bears S 62 W. 18 Lk. dist.
a Do. 12 " " " S 85 E. 53 " "
Good Beech land.

East on S. side of Sec. 35.

33.00 a Brook 3 Lk. wide course S.
40.00 set cr. sec. post. from which
a Wh. Oak 30 in. dia. bears N 62 E. 5 Lk. dist.
& a Beech 14 " " " S 55 W. 18 " "
Good level Beech land.
80.00 set post cor. to Secs. 35 & 36, from wh.
a Beech 16 in. dia. bears N 66 W. 21 Lk. dist.
an Ash 8 " " " N 6 E. 16 " "

East on S. side of Sec. 36.

9.00 a Brook 3 Lk. wide course S.
13.19 a Wh. Oak 48 in. diam.
40.00 set cr. sec. post. from which
a Wh. Oak 24 in. dia. bears N 55 W. 35 Lk. dist.
a Beech 14 " " " S 61 E. 27 " dist.
Land, level. Timber: Beech, Oak & Gum.

T. 13 N. R. 13 E. 2nd Mer. Indian.

- 48.00 a Brook 3¹/₂ lks. wide Course N.
 59.00 Intersect Old Indian Boundary line
 11 lks and 20 lks. N 9 E. of 59th mile post.
 Set post, from which
 a Sugar 8 in. dia. bears S 25 E. 26 lks. dist. X
 a Wh. Oak 4 5 in. dia. " N 43 E. 24 " "
 Land, level. Wh. Oak timber.
 Surveyed in 1810.
 By Alexander Holmes
 Deputy Surveyor.

East Boundary.

Oct. 23rd 1810.

South On E. side of Sec. 1.

- 23.70 a Walnut 16 in. diam.
 40.00 Set gr. Sec. post, from which
 a Beech 5 in. diam. bears N 18 W. 18 lks. dist.
 & a Dr. 10 " " " S 83 E. 22 " "
 50.00 a Brook 6 lks. wide Course S. W.
 80.00 Set post Cor. to Sec. 12 & 13, from which
 a Beech 20 in. dia. bears North 25 lks. dist. X
 a Walnut 4 " " " S 6 W. 10 " "
 Land, level Timb. Beech.

South On E. side of Sec. 12.

- 22.50 a Brook 10 lks. wide Course E.
 40.00 Set gr. Sec. post, from which
 a Beech 20 in. diam. bears N 85 W. 9 lks. dist.
 a Sugar 14 " " " S 29 E. 26 " "
 64.70 an Ash 20 in. diam.
 80.00 Set post Cor. to Sec. 12 & 13, from wh.
 a Beech 18 in. diam. bears N 11 E. 21 lks. dist. X
 a Sycamore 5 in. " " S 33 W. 11 " "
 Land, Rich Timb. Beech, Sugar
 Ash &c.

T. 13 N. R. 13 E. 2nd Mer. Indiana.

South On E. side of sec. 13.

37.00 a Brook 20 lbs. wide Course E.

40.00 Set q. sec. post. from which
a Sugar 16 in. dia. bears N 32 W. 19 lbs. dist. &
an Elm 12 " " " S 6 E. 35 " "

56.00 a Brook 3 lbs. wide Course E.

74.50 a Do. 3 " " " E.

80.00 Set post cor. to Sec. 13 & 24, from which
a Beech 12 in. diam. bears N 42 W. 3 lbs. dist. &
a Do. 8 " " " S 10 E. 31 " "
Land, Rich. Timber Sugar, Walnut
Ash, Beech &c.

South On E. side of Sec. 24.

18.00 a Brook 3 lbs. wide Course E.

25.00 a Creek 50 " " " E.

26.25 a Sugar 9 in. diam.
Land, hilly, rich. Timber Sugar
Beech, Hickory &c.

40.00 set q. sec. post. from which
a Hickory 5 in. diam. bears N 83 E. 13 lbs. dist.
a Beech 18 " " " South 110 " "

66.00 a Brook 3 lbs. wide Course E.

71.00 a Do. 3 " " " E.
Land, hilly, rich. Timber Sugar, Beech
Hickory &c.

73.50 Intersect Old Indian Boundary line
and set post. from which
a Sugar 14 in. dia. bears N 6 W. 15 lbs. dist. &
a Beech 24 " " " S 45 W. 20 " "

[This is not the true Boundary. J. Mansfield]
Surveyed in 1870.

By Alexander Holmes,
Deputy Surveyor

T. 13 N. R. 13 E. 2nd Mer. Indiana.

Ch. 4th. North Boundary.

Monday Oct. 22nd 1810. Random Line.

West On S. Side of Sec. 36 T. 14 N. R. 13 E.

40.00 Set tempy. gr. sec. post.

66.50 a Brook 4th wide course S. W.

80.00 Set tempy. w. sec. post. Cor. to Sec. 35 & 36.

Land, level. Beech timber.

West On S. Side of Sec. 35. T. 14 N. R. 13 E.

17.00 a Brook 8th wide course N. W.

40.00 Set tempy. gr. sec. post.

62.50 a Brook 3th wide course N.

80.00 Set tempy. post Cor. to Sec. 34 & 35.

Land, level. Timb. Beech Poplar
Sugar &c.

West On S. Side of Sec. 34. T. 14 N. R. 13 E.

16.00 a Spring course N.

40.00 Set gr. sec. post tempy.

52.00 a Brook 5th wide course S. W.

77.00 a Do. 30 " " " S. W.

80.00 Set tempy. post Cor. to Sec. 33 & 34.

Land, level Timb. Beech Sugar
Poplar &c.

West On S. Side of Sec. 33. T. 14 N. R. 13 E.

4.00 a Brook 5th wide course S.

38.00 a Do. 5 " " " S. W.

40.00 Set tempy. gr. sec. post.

80.00 Set tempy. post Cor. to Sec. 32 & 33.

Land level and rich. Timber,
Beech Sugar, Poplar, Ash &c.

West On S. Side of Sec. 32. T. 14 N. R. 13 E.

5.00 a Brook 3th wide course S.

18.00 a Brook 25 " " " N. W. Kept

T. 13 N. R. 13 E. 2nd Mer. Indiana.
 old 400.

down it, cooping after.

24.00 To Left Bank running N. W.
 40.00 set tempy. gr. sec. post.
 80.00 set post cor. to Sec. 31 & 32 (tempy.)
 Land level Bottom. Timb. Beech
 Sugar Ash &c.

West On S. Side of Sec. 31. T. 14 N. R. 13 E.

40.00 set gr. sec. post, temporary.
 Land, Rich. Timb. Beech Sugar
 Ash &c.

81.00 Fell 210 lb. North of the Corner to
 Towns 13 & 14 Ranges 12 & 13.

Correct Line. Oct. 1810.

East On S. Side of Sec. 31. T. 14 N. R. 13 E.

40.00 ^{set gr. sec. post, from which} a Sugar 12 in. dia. bears N 16 W. 13 lb. dist.
 a Hickory 12 " " " S 85 E. 15 " "
 80.00 set post cor. to Sec. 31 & 32, from wh.
 a Beech 18 in. dia. bears N 16 E. 16 lb. dist. &
 a Do. 12 " " " N 63 E. 28 " "

East On S. Side of Sec. 32. T. 14 N. R. 13 E.

40.00 a Wh. Oak 12 in. dia. bears N 69 W. 12 lb. dist.
 & a Wh. Oak 14 " " " S 36 E. 35 " "

These are the gr. sec. post bearings
 80.00 set post cor. to Sec. 32 & 33, fr. wh.
 a Beech - in. diam. bears S 67 W. 11 lb. dist. &
 a Do. 8 " " " N 44 E. 14 " "

East On S. Side of Sec. 33. T. 14 N. R. 13 E.

40.00 set gr. sec. post, from which
 a Beech 36 in. dia. bears S 9 E. 18 lb. dist. &
 a Do. 14 " " " N 68 E. 21 " "
 80.00 set post cor. to Sec. 33 & 34, fr. wh.
 a Beech 20 in. diam. bears S 3 E. 20 lb. dist.

T. 13 N. R. 13 E. 2nd Mer. Indiana.

Ch. 1st a Beech 20 in. dia. bears N 74 W. 48 lks. dist.

East On S. side of sec. 34. T. 14 N. R. 13 E.
40.00 a Beech 10 in. dia. bears N 33 W. 17 lks. dist. &
a Sugar 24 " " " S 46 E. 22 " "

The above bearings are from gr. sec. post.
80.00 Set post cor. to Sec. 34 & 35. from wh.
a Beech 12 in. dia. bears N 86 W. 34 lks. dist.
a Do. 8 " " " S 27 E. 34 " "

East On S. side of sec. 35. T. 14 N. R. 13 E.
40.00 Set gr. sec. post. from which
a Sugar 30 in. dia. bears N 72 E. 8 lks. dist.
& a Beech 8 " " " N 59 W. 11 " "

80.00 Set post cor. to Sec. 35 & 36, from which
a Beech 16 in. dia. bears S 21 W. 6 lks. dist. &
a Do. 18 " " " N 78 E. 36 " "

East On S. side of sec. 36. T. 14 N. R. 13 E.
40.00 Set gr. sec. post. from which
an Elm 10 in. diam. bears S 74 W. 26 lks. dist.
an Ash 16 " " " N 70 E. 28 " "
81.00 To Township corner.
Surveyed in 1810.

By Alexander Holmes
Deputy Surveyor.

West Boundary.

Oct. 16th 1810.

North On E. side of sec. 36. T. 13 N. R. 12 E.

5.50 a Spring course W.

21.00 a Do. " N. W.

24.75 a Poplar 36 in. diam.

40.00 Set gr. sec. post. from which
a Beech 16 in. dia. bears S 27 W. 22 lks. dist.
a Do. 14 " " " N 45 E. 30 " "

T. 13 N. R. 13 E. 2nd Mer. Indiana.

43.00 a Brook 30 lb. wide course W.
 56.00 a Do. 3 " " " W.
 80.00 Set post Cor. to Sec. 25 & 36, fr. wh.
 a Buckeye 8 in. dia. beam S 12 E. 24 lb. dist.
 & a Walnut 4 in. dia. " S 12 W. 21 " "
 Hilly Beech land.

North On E. side of Sec. 25. T. 13 N. R. 12 E.

6.50 a Brook 30 lb. wide course W.
 11.50 a Do. 3 " " " S. E.
 13.17 a Beech 10 in. diam.
 26.00 a Brook 3 lb. wide course S. W.
 31.00 a Do. 3 " " " S. E.
 Hilly land. Beech Sugar Poplar &c.
 40.00 Set gr. sec. post. from which
 a Beech 16 in. dia. beam S 21 E. 9 lb. dist. &
 a Do. 18 " " " S 24 W. 42 " "
 65.00 a Spring course E.
 67.00 a Beech 24 in. diam.
 80.00 Set post Cor. to Sec. 24 & 25. fr. wh.
 a Sugar 16 in. dia. beam S 44 E. 18 lb. dist.
 a Do. 16 " " " N 10 W. 34 " "
 Good Beech land.

North On E. side of Sec. 24 T. 13 N. R. 12 E.

27.00 a Beech 24 in. diam.
 40.00 a set gr. sec. post. from which
 a Beech 8 in. dia. beam S 82 E. 7 lb. dist.
 & a Do. 12 " " " S 6 E. 35 " "
 60.00 a Brook 3 lb. wide course W.
 66.50 a Do. 3 " " " W.
 80.00 Set post Cor. to Sec. 13 & 24, fr. which
 a Poplar 18 in. dia. beam S 35 E. 3 lb. dist.
 a Sugar 8 " " " S 35 W. 10 " "
 Hilly, Beech land.

T. 13 N. R. 13 E. 2nd Mer. Indiana.

North On E. side of sec 13. - T. 13 N. R. 13 E.

3.00 a Brook 3 lks. wide course N. W.

24.00 a Do. 3 " " " N. W.

33.00 a Do. 3 " " " W.

40.00 Set gr. sec. post. from which
 a Beech 24 in. dia. bears N 43 E. 13 lks. dist.
 a Beech 8 " " " S 10 W. 24 " "
 Good Beech land Kelly.

61.50 a Brook 25 lks. wide course W.

80.00 Set post Cor. to Sec. 13 & 12, from wh.
 a Poplar 30 in. dia. bears S 85 E. 14 lks. dist.
 a Beech 24 " " " S 68 W. 31 " "
 Land, good, Beech, Sugar & Poplar.

North On E. side of sec. 12. T. 13 N. R. 13 E.

6.50 a Brook 5 lks. wide course W.

30.50 a Beech 10 in. dia.

40.00 Set gr. sec. post. from which
 a Sugar 12 in. dia. bears N 16 E. 9 lks. dist.
 a Beech 18 " " " S 28 W. 16 " "

54.00 a Brook 3 lks. wide course W.

80.00 Set post Cor. to Sec. 13 & 12, from wh.
 a Sugar 9 in. dia. bears S 28 E. 3 lks. dist.
 a Beech 24 " " " N 33 E. 23 " "
 Good Beech land.

North On E. side of sec. 1. T. 13 N. R. 13 E.

11.00 a Brook 10 lks. wide course W.

32.50 a Sugar 18 in. diam.

40.00 Set gr. sec. post. from which
 a Sugar 18 in. dia. bears N 57 W. 12 lks. dist.
 a Beech 8 " " " S 1 E. 10 " "
 First rate land. Sugar Poplar Beech.

80.00 Set post Cor. to Townships 13 and 14
 North in Ranges 12 & 13 E. from which
 a Beech 12 in. dia. bears S 3 E. 17 lks. dist.

T. 13 N. R. 13 E. 2nd Mer. Ind^a

a Sugar 14 in. dia. bears N 21 E. 19 lb. dist.
Over very rich land and level.
Timber Sugar Beech Ash & Elm.
Surveyed in 1810.

By Alexander Holmes
Deputy Surveyor.

Subdivision.

North Between Secs. 31 & 32.

40.00 Set gr. sec. post, from which
a Sugar 20 in. dia. bears N 31 W. 19 lb. dist. X
a Beech 10 " " " S 31 E. 10 " "
50.00 a Run 25 lb. wide Course W.
80.00 Set post cor. to Secs. 29, 30, 31 & 32, fr. wh.
a Beech 24 in. dia. bears N 41 E. 41 lb. dist.
X a Do. 18 " " " S 13 E. 74 " "
Hilly 3^d rate land. Timber Beech
Oak & Poplar and some Sugar.

West On Random between Secs. 30 & 31.

23.50 a stream 14 lb. wide Course S.
40.00 Set temp. gr. sec. post.
80.23 Intersect N & S line 17 lb. S. of post.
Over hilly 3^d rate land. Timber Beech
Oak and Poplar.

East Correct line between Secs. 30 & 31.

40.11¹/₂ Set gr. sec. post. from which
a Beech 12 in. dia. bears N 3 E. 24 lb. dist. X
a Do. 8 " " " S 4 E. 23 " "
74.45 a Beech 20 in. diam.
80.23 Section corner.

North Between Sections 29 & 30.

18.50 a Beech 13 in. diam.
40.00 Set gr. sec. post. from which

T. 13 N. R. 13 E. 2^d Mer. Indiana.

14.40 a Beech 10 in. dia. bears S 15th 17th lks. dist. X
 a Do. 6 " " " N 41th E. 7 " "
 44.75 a Run 20 lks. wide course S. 80 W.
 65.00 a stream 14 " " " S. W.
 80.00 Set post cor. to Sec. 19, 20, 29 & 30, 1st lks.
 an Elm 10 in. dia. bears S 85th W. 13 lks. dist. X
 a Beech 7 " " " N 12th W. 23 " "
 Land, this mile over hilly 3^d rate
 land. Timb. Beech, Poplar & Sugar.

North Between sections 32 & 33.

6.50 a stream 6 lks. wide course S. E.
 32.18 a Sugar 15 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 7 in. dia. bears S 76th E. 10 lks. dist. X
 a Do. 6 " " " S 83th W. 15 " "
 80.00 Sugar 18 " " for post cor. to Secs.
 28, 29, 32 & 33.
 This mile over 3^d rate land. Timb.
 Beech, Oak Poplar & Sugar.

West On Random betwⁿ Sec. 29 & 32.

8.00 a Run 20 lks. wide course S 60 W.
 40.00 Set gr. sec. temp^y post.
 49.40 a stream 12 lks. wide course S.
 79.74 Intersect N & S. line 30 lks. N. of post.
 Over hilly 3^d rate land. Timb.
 Beech, Oak, Poplar, and Sugar.

East Correct line betwⁿ Sec. 29 & 32.

39.87 Set gr. sec. post. from which
 a Beech 12 in. dia. bears East, 14 lks. dist. X
 a Beech 7 " " " N 74th W. 15 " "
 79.74 Section Corner.

North Between sections 28 & 29.

S. 13 N. R. 13 E. 2^d Mer. Indiana.

C. 2.

18.85 a stream 12 lks. wide course S 30° W.

40.00 Set gr. sec. post. from which
a Beech 15 in. dia. bears N 74° W. 31 lks. dist. X
a Sugar 8 " " " N 45° E. 29 " "

43.40 a stream 10 lks. wide course S. W.

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, fr. wh.

a Sugar 7 in. dia. bears N 74° W. 17 lks. dist. X

a Beech 8 " " " S 46° E. 8 " "

Over hillz 3rd rate land, Timber, Beech,
Oak, Poplar & Sugar.

North Between sections 33 & 34.

C. 50 a stream 12 lks. wide course E.

40.00 Set gr. sec. post. from which
a Beech 24 in. dia. bears N 67° W. 23 lks. dist.
X a Do. 12 " " " S 40° E. 35 " "

71.70 a stream 10 lks. wide C. N. E.

80.00 Set post Cor. to Sec. 27 & 28, 33 & 34, fr. wh.

a Beech 24 in. dia. bears West 38 lks. dist. X

a Wh. Oak 14 " " " N 15° E. 15 " "

Land, Over level 2nd rate. Timber:
Beech, Oak, Poplar and Sugar. On the
S. 1/2 the timber is much destroyed by
wind; undergrowth Spice.

West On Random between Sec. 28 & 33.

30.00 a swamp about 50 yards N. of the
line appears to contain 4 or 5 acres.

40.00 Set temp. gr. sec. post.

80.15 Intersect N & S. line 12 lks. S. of post.

Land, on this mile except 10 chains
on the W. End over a hill is over-
level Rich land. Timber, Beech
Oak, Poplar, Sugar, Ash.January 13th 1811.

344

T.B.N. No. 13 E. 2nd Mer. Indiana.

East Correct line between Sec. 28 & 33.

40.07 set gr. sec. post. from which
a wh. ash 14 in. dia. bears N 77 W. 13 lb. dist.
a Do. 8 " " " S 76 E. 7 " "
80.15 Section Corner.

North Between sections 27 & 28.

1.35 a stream 15 lb. wide Course N 80 E.

6.85 a Do. 10 " " " East.

40.00 set gr. sec. post. from which
a Beech 12 in. dia. bears S 40 E. 9 lb. dist. X
a Do. 22 " " " North 12 " "

80.00 set post cor. to Secs. 21, 22, 27 & 28, from wh.
a wh. Ash 12 in. diam. bears S 5 W. 29 lb. X
a Beech 16 " " " N 88 W. 38 " dist.
This mile over hilly $3\frac{1}{2}$ rate land
except 20 ch. on the S. end which
is over level $2\frac{1}{2}$ rate land. Timber
Beech, Poplar Oak & Sugar.

North Between Sec. 34 & 35.

12.00 a stream 16 lb. wide N 60 W.

40.00 set gr. sec. post. from which
a Beech 12 in. dia. bears S 3 E. 17 lb. dist. X
a Do. 18 " " " N 50 E. 26 " "

80.00 set post cor. to Secs. 26, 27, 34. & 35, fr. wh.
a Beech 8 in. diam. bears S 53 E. 4 lb. dist. X
a Hickory 24 in. " " N 53 W. 7 " "
Over hilly $3\frac{1}{2}$ rate land. Timber.
Beech, Oak, and Sugar. Timber -
mostly destroyed by wind.

West On Random between Sec. 27 & 34.

36.75 a stream 12 lb. wide Course S. 16 W.

40.00 set tempy. gr. sec. post.

68.75 a stream 18 lb. wide Course S.

T. 13 N. R. 13 E. 2nd Mer. Indiana.

79.84 Intersect N & E. line 27 W. N. of post.
Land, this mile over level 2nd
rate land. Timb. Beech, Poplar
and Sugar.

East Corner line between Sections 27 & 34.

39.92 Set gr. Sec. post, from which
a Beech 12 in. dia. bears S 11 E. 24 lb. dist.
a Do. 15 " " " S 68 W. 40 " "

79.84 Section corner.

North Between Sec. 26 & 27.

14.00 a stream 5 lb. wide course W.

40.00 Set gr. Sec. post, from which
a Wh. Oak 24 in. dia. bears S 37 E. 11 lb. dist.
a Beech 8 in. dia. bears N 87 W. 5 " "

80.00 Set post Cor. to Sec. 22, 23, 26 & 27.
a Beech 7 in. dia. bears S 11 W. 7 lb. dist.
a Do. 10 " " " N 25 E. 30 " "
Land, level and 2nd rate. Timb.
Beech, Poplar Sugar Ash & Hickory.

North Between Sections 35 & 36.

40.00 Set gr. Sec. post, from which
a Beech 15 in. dia. bears N 15 E. 12 lb. dist.
a B. Gum. 17 " " " S 36 E. 13 " "

67.50 a stream 10 lb. wide course W.

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, fr. wh.
a Beech 18 in. dia. bears S 51 E. 17 lb. dist. &
a Wh. Ash 8 " " " N 15 W. 19 " "
This mile over level 2nd rate land.
Timb. Beech, Oak Poplar & Hickory.

West On Random between Sections 26 & 35.

16.75 a stream 12 lb. wide course N.

22.00 a Do. 14 " " " N. E.

T. 13 N. R. 13 E. 2nd Mer. Indiana.

40.00 Set temp y. gr. sec. post.
 80.13 Intersect N & S. line at post.
 Land, level 2nd rate. Timb.
 Beech Oak Poplar Sugar and
 Ash &c. The timber has lately
 been much blown down by the
 wind on the west end of this mile.

East Correct line between Sec. 26 & 35.

40.06 Set gr. sec. post, from which
 a Sugar 14 in. dia. bears N 66 E. 25 lb. dist. &
 a Poplar 30 " dia. " N 35 W. 16 " "
 80.13 section corner.

East Between Sec. 25 & 36.

17.12 a Beech 18 in. diam.
 40.00 Set gr. sec. post, from which
 a Beech 18 in. dia. bears S 51 W. 32 lb. dist. &
 a Beech 20 " " " N 71 E. 18 " "
 60.70 To Old Random boundary line
 70.70 To Old Boundary line and set post
 from which
 a Beech 14 in. dia. bears N 45 E. 3 lb. dist.
 a Sugar 8 " " " N 59 W. 19 " "
 Land, level 2nd rate land. Timb.
 Beech, Oak & Poplar.

North Between Sec. 25 & 26.

5.00 a stream 6 lb. wide course W.
 28.50 a Do. 10 " " " N 70 E.
 40.00 Set gr. sec. post, from which
 a Beech 18 in. dia. bears N 29 W. 25 lb. &
 a Do. 11 " " " S 26 W. 22 " dist.
 61.75 a stream 15 lb. wide course S. E.
 80.00 Set post cor. to Sec. 23, 24, 25 & 26,
 a Beech 14 in. diam. bears S 81 E. 24 lb.

S. 13 N. No 13 E. 2nd Mer. Ind^o
 ch. 4th.

a Beech 14 in. diam bears S 50 W. 19th of post.
 This mile Over level 2nd rate
 land. Timb. Beech, Oak, Poplar
 and some Ash.

West On Random between Secs 23 & 26.

9.65 a Run 25th of post. wide C. N 20 E.

40.00 set temp^y. gr. sec. post.

79.86 Intersect N & S line 16th of post.

Over hills 3rd rate land Timb.
 Beech Oak Poplar and Sugar.

January 14th 1871.

West On Random between Secs 22 & 27.

20.00 a Run 16th of post. wide N 20 E.

40.00 set temp^y. gr. sec. post.

61.75 a stream 12th of post. wide course S.

80.23 Intersect N & S line 8th of post. N. of post.

Over hills 3rd rate land. Beech
 Oak Poplar and Sugar.

West On Random between Secs 21 & 28.

40.00 set temp^y. gr. sec. post.

71.00 a stream course South

79.92 Intersect N & S line 19th of post. N. of post.

This mile Over level 2nd rate
 land. Timb. Beech, Oak Poplar
 and Sugar and Ash.

West On Random between Secs 20 & 29.

40.00 set temp^y. gr. sec. post.

48.85 a stream 8th of post. wide course S. W.

79.93 Intersect N & S line 13th of post. S. of post.

Over 3rd rate land, the W. 1/2 mile
 considerably broken. Timb. Beech,
 Poplar Oak and Sugar.

T. 13 N. R. 13 E. 2nd Mer. Ind. ^g

West On Random betwⁿ sec. 19 & 30.

7.00 a stream 15 lb. wide course S.W.

28.00 a Do. 10 " " " South.

40.00 set temp^y. gr. sec. post.

52.40 a stream 12 lb. wide cut S E

69.00 a Do. 12 " " " South.

80.10 Intersect N & S. line 9 lb. S. of post.

Three mile over hill, 3rd rate land.

Beech Poplar Oak & Sugar.

East Corner line betⁿ sec. 19 & 30.

40.05 set gr. sec. post. from which
an Elm 9 in. dia. bears N 7 E. 15 lb. dist. &
a Sugar 20 " " " S 65 E. 19 " "

80.10 Section Corner.

North Between Sections 19 & 20.

11.00 a stream 14 lb. wide S 45 W.

23.15 a Beech 18 in. diam.

40.00 set gr. sec. post. from which
a Poplar 22 in. dia. bears N 56 E. 18 lb. dist.
a Beech 10 " " " S 6 W. 8 " "

71.12 a Sugar 12 " "

80.00 set post Cor. to Sec. 17, 18, 19 & 20, fr. N.W.

a Beech 10 in. dia. bears S 70 E. 15 lb. dist.

& a Do 9 " " " S 89 W. 9 " "

Land, Over hill, 3rd rate land.

Timb. Beech, Oak & Poplar.

East Corner line between sec. 20 & 29.

39.96 set gr. sec. post. from which

a Beech 16 in. dia. bears N 6 W. 24 lb. dist. &

a Do. 12 " " " N 52 E. 10 " "

January 15th 1811.

79.93 Section Corner.

S. 13 N. R. 13 E. 2nd Mer. Indⁿ

North Between sections 20 & 21.

33.00 a B. Gum 14 in. diam.

40.00 set gr. sec. post. from which
a Beech 12 in. dia. bears N 65 W, 17 lb.
a Beech 6 " " " N 12 W, 12 "

58.50 a stream 6 lbs. wide runs E.

80.00 set post cor. to Secs 16, 17, 20 & 21.

a Sugar 12 in. dia. bears S 52 W, 11 lb. dist.

a Sugar 8 " " " N 49 E, 45 " "

Land, this mile over level 2nd rate
Land Timb. Beech Poplar Sugar
and Ash.

East Correct line between Secs. 21 & 28.

39.96 set gr. sec. post. from which

a Poplar 14 in. dia. bears S 8 E, 8 lb. dist.)

a B. 6 " " " N 69 W, 15 " "

79.92 Section corner.

North Between Secs. 21 & 22.

23.50 a stream 8 lbs. wide course E.

31.20 a Beech 14 in. diam.

40.00 set gr. sec. post. from which

a Beech 14 in. dia. bears N 6 E, 39 lb. dist.)

a Do. 18 " " " S 22 W, 25 " "

69.85 a Wh. Oak 10 in. diam.

80.00 set post cor. to Secs. 15, 16, 21 & 22,

from which

a Beech 8 in. dia. bears S 53 E, 23 lb. dist.)

a Sugar 9 " " " N 36 W, 23 " "

Land hilly 3rd rate. Timb. Beech,
Oak & Poplar.

East Correct line between Secs. 22 & 27.

40.11¹/₂ set gr. sec. post. from which

a Sugar 8 in. dia. bears N 7 E, 27 lb. dist.)

T. B. N. N. 13 E. 2nd Mer. Ind^a

Ch. H. a Sugar 12 in. dia. bears N 36 W. 20 lb.
80.23 Section Corner.

North Between Sec. 22 & 23.

17.90 a Run 20 lb. wide E. N. E.

22.85 a Poplar 16 in. diam.

40.00 Set gr. sec post, from which
a Beech 12 in. dia. bears N 67 E. 19 lb. dist.
a Do. 8 " " " S 30 W. 15 lb. dist.

60.20 a stream 6 lb. wide course E.

70.75 a stream 12 lb. wide course S. E.

80.00 Set post cor. of Sec. 14, 15, 22 & 23.

a B. Gum 14 in. dia. bears N 15 E. 20 lb.
& a Beech 9 " " " S 37 W. 21 lb. dist.
Over hill 3¹/₂ rate land. Timber
Beech, Oak, Poplar and Sugar.

East Corner line between Sec. 23 & 26.

39.93 Set gr. sec post, from which

a Sugar 10 in. dia. bears N 67 W. 24 lb. dist.

a Do. 12 " " " S 79 E 22 " "

79.96 Section Corner.

East Between Sec. 24 & 25.

21.00 a Beech 18 in. dia.

28.00 a stream 14 lb. wide course N. 15 E.

40.00 Set gr. sec. post, from which

a Cherry 7 in. dia. bears S 41 E. 17 lb. dist. &

an Elm 14 " " " S 52 W. 29 " "

64.62 a W. Ash 16 in. diam.

80.27 Intersect Random Boundary line

82.07 Intersect Boundary line and Set
a post, from which

a Sugar 9 in. dia. bears S 83 E. 16 lb. dist. &

a Gum 15 " " " N 74 W. 30 " "

(Note) on the E. boundary Mr. Holmes

S. 13 N. N. 13 E. 2nd Mer. Indiana.

Ch. W. did not continue his town line any further south than to the Random Boundary line.

This mile over level 3rd rate land.
Timb. Beech, Poplar Sugar and Oak. very thick under growth.

North Between Sec. 23 & 24.

16.50 a Run 30 lks. wide course N. E.

29.90 a Beech 14 in. diam.

40.00 Set qtr. sec. post, from which
an Elm 5 in. dia. bears N 83 W. 16 lks. dist. &
a Sugar 15 " " " N 1 W. 10 " "

66.50 a Run 10 lks. wide course E.

80.00 Set post Cor. to Sec. 13, 14, 23 & 24.

a Beech 6 in. dia. bears N 68 W. 25 lks. dist.

a Sugar 8 " " " N 13 W. 22 " "

Over hilly 3rd rate land. Timb.
Beech, Oak Poplar & Sugar.

East Between Sec. 13 & 24.

10.55 a Run 25 lks. wide course S 25 E.

37.80 a Sugar 12 in. diam.

40.00 Set qtr. sec. post, from which
a Sugar 12 in. dia. bears S 81 W. 13 lks. dist. &
a Do. 10 " " " N 50 E. 30 " "

47.50 a Poplar 30 in. diam.

81.41 Intersect Town Boundary 217 lks.

S. of Holmes post. & Set post Cor.

to Sec. 13 & 24, from which

a Wh. Oak 9 in. dia. bears S 81 E. 13 lks. dist. &

a Do. 8 " " " N 30 W. 19 " "

Over Broken 2nd rate land Timb.
Beech, Poplar Sugar and Oak.

West On Random between Sec. 24 & 25.

359

T. 13 N. R. 13 E. 2nd Mer. Ind^a

Pl. Sh.

40.00 set temp. g. sec. post.

66.50 a stream 12 lb. wide c. S.W.

79.85 Intersect N & G. line 11 lb. S. of post.

This mile over hilly 3rd rate land.
Timb. Beech, Oak, Poplar and Sugar.
Undergrowth very thick.

West On Random between Sec. 15 & 22.

61.35 a stream 8 lb. wide course S.

40.00 set temp. g. sec. post.

70.85 a stream 8 lb. wide course S.E.

80.17 Intersect N & G. line at post.

Over very thin soil some broken
Timb. Beech Oak, Poplar, Sugar & Hickory.

West On Random between Sec. 16 & 21.

40.00 set temp. g. sec. post.

45.25 a stream 7 lb. wide course N.

62.70 a Do. 6 " " " N.

79.88 Intersect N & G. line 24 lb. N. of post.

This mile over level 2nd rate. Timb.
Beech, Poplar Sugar and Ash.

West On Random between Sec. 17 & 20.

13.25 a stream 14 lb. wide course N.W.

34.45 a Do. 12 " " " N.

40.00 set temp. g. sec. post.

46.90 a stream 15 lb. wide N.E.

79.85 Intersect N & G. line 27 lb. S. of post.

Land on this mile over broken 3rd
rate. Timb. Beech Poplar Oak &
Sugar.

West On Random between Sec. 18 & 19.

40.00 set temp. g. sec. post.

45.00 a stream 8 lb. wide course N.W.

T. 13 N. R. 13 E. 2nd Mer. Indiana.

Ch. No.

80.16 Intersect N & E line 14th lb. N. of post.
This mile over hilly 3^d rate land
Timb. Beech Oak and Poplar.

East Correct line between Sec. 18 & 19.

40.08 Set gr. sec. post. from which
a Beech 8 in. dia. bears S 81 E. 16 lb. dist.
a Do. 10 " " " S 20 E. 15 " "

80.16 Section Corner.

January 17th 1811.

North Between Sections 17 & 18.

40.00 Set gr. sec. post. from which
a Beech 18 in. dia. bears S 79 W. 32 lb. dist.
a Do. 15 " " " N 15 E. 9 " "

48.34 a Beech 10 in. diam.

52.00 a Run 25 lb. wide course W.

80.00 a Beech 15 in. diam. for post cor.
to sec. 7, 8, 17 & 18.

This mile over hilly 3^d rate land
Timb. Beech Sugar & Poplar.

East Correct line bet^h sec. 17 & 20.

39.92¹/₂ Set gr. sec. post. from which
a Poplar 22 in. dia. bears S 48 W. 13 lb. dist.
& a Beech 8 " " " S 82 E. 7 " "

79.85 Section Corner.

North Between Secs. 16 & 17.

31.15 a stream 12 lb. wide crs. S 41st W.

33.18 a Sugar 16 in. diam.

40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears N 64 W. 33 lb. dist.
a Do. 8 " " " S 36 E. 13 " "

47.50 a stream 14 lb. wide course W.

80.00 Set post cor. to Sec. 8, 9, 16 & 17, fr. wh.

354

T. 13 N. R. 13 E. 2nd Mer. Ind^a

42.40. a Lym 18 in. dia. bears N 4 E. 14 lb. dist.
a Lym 10 " " " N 57 W. 14 " "
This mile over broken 3rd rate
land. Timber: Beech Oak, Poplar
and some Sugar.

East corner line between Secs. 16 & 21.
39.94 set gr. sec. post. from which
a Wh. Oak 20 in. dia. bears S 9 W. 18 lb.
a Wh. Oak 18 " " " N 78 E. 13 "
79.88 Section corner.

North Between Secs. 15 & 16.

26.32 a Wh. Oak 18 in. dia.
40.00 set gr. sec. post. from which
a Lym 15 in. dia. bears N 24 W. 11 lb. dist.
a Beech 12 " " " S 16 E. 12 lb. dist.
80.00 set post cor. to Secs. 9, 10, 15 & 16,
a Sugar 8 in. dia. bears S 23 E. 23 lb. dist.
a Sugar 10 " " " N 71 W. 27 " "
This mile over level 2nd rate
land Timber: Beech, Poplar, Sugar
and Oak.

East corner line between Secs. 15 & 22.

40.08 set gr. sec. post. from which
a Beech 15 in. dia. bears N 71 E. 17 lb. dist.
a Do. 14 " " " S 85 W. 12 " "
80.16 Section corner.

North Between Secs. 14 & 15.

29.33 a Beech 12 in. diam.
40.00 set gr. sec. post. from which
a Beech 6 in. dia. bears N 13 E. 19 lb. dist.
a Do. 10 " " " S 34 E 36 " "
64.51 a Run 18 lb. wide course S 75 E.

T. 13 N. R. 13 E. 2nd Mer. Indiana
Ch. App.

80.00 Set post Cor. to Secs 10, 11, 14 & 15, from wh.
a Sugar 6 in. diam. bears N 46 E 16, 16¹/₂ dist.)
a Beech 8 " " " N 56 W. 32 " "
This mile over hilly 3rd rate land
hilly. Timber, Beech, Oak, Poplar
and Sugar.

East correct line between Secs 14 & 23.

39.92¹/₂ Set gr. sec. post, from which
a Beech 12 in. dia. bears S 61 W. 9¹/₂ lb. dist.)
a Hickory 20 in. dia. " N 32 E. 7 " "

79.85 Section Corner.

January 18th 1811.

North Between Secs 13 & 14.

10.00 a Run 30 lb. wide course S. E.

27.50 a Run 20 " " " S. E.

40.00 Set gr. sec. post, from which
a Beech 15 in. dia. bears S 63 W. 17 lb. dist. and
a Do. 14 " " " N 56 E. = " "

58.12 a Beech 13 in. diam.

80.00 Set post Cor. to Secs 11, 12, 13 & 14, from wh.
a Beech 20 in. dia. bears S 43 E. 26 lb. dist.)
a Do. 30 " " " N 33 W. 25 " "

This mile over hilly 3rd rate
land. Timber Beech, Poplar
Oak and Sugar very thick under
growth.

West on Random between Secs 11 & 14.

40.00 Set temp. y. gr. sec. post.

52.25 a Stream 12 lb. wide course S. W.

80.00 Intersect N & E line 37 lb. S. of post.

This mile over broken 3rd rate
land. Timber Beech Oak & Poplar,
Sugar and Ash.

356

T. 13 N. R. 13 E. 2nd Mer. Ind^a

West On Random between Sec. 10 & 15.
16.75 a stream 8 lks. wide Course S.
40.00 Set gr. Sec. post tempy.
80.36 Intersect N & S. line 14 lks. S. of post.
This mile over 3rd rate land
the E. 1/2 much broken. Timber.
Beech, Poplar Oak & Sugar.

West On Random between Sec. 9 & 16.
40.00 Set tempy. gr. Sec. post.
56.62 a stream 6 lks. wide C. N. W.
79.93 Intersect N & S. line 14 lks. S. of post.
This distance over 3rd rate land.
The W. 1/2 much broken. Timber.
Beech, Oak, Poplar and Sugar.

West On Random betwⁿ Sec. 8 & 17.
14.35 a stream N 80 E.
40.00 Set gr. Sec. post. tempy.
54.40 a stream 12 lks. wide Course S
79.82 Intersect N & S. line 12 lks. S. of post.
This mile over broken 3rd rate
land Timber Beech, Oak, Poplar
& Sugar &c.

West On Random between Sec. 7 & 18.
10.00 stream 12 lks. wide Course S. 20 W.
17.75 a do. 12 " " " S 30 W.
30.50 a do. 10 " " " S. W.
40.00 set tempy. gr. Sec. post. /
47.80 a small stream S 30 W.
80.30 Intersect N & S. line 18 lks. N. of post.
This mile over 3rd rate land, some
what broken Timber Beech, Oak &
Poplar.

T. 13. N. R. 13 E. 2nd Mer. Indiana.

East Correct line between sec. 7 & 18.
 40.15 set gr. sec. post. from which
 a Beech 24 in. dia. bears N 65 E. 26 lks. dist.
 a Beech 16 " " " N 79 W. 22 " "
 80.30 Section Corner.

North Between sec. 7 & 8.
 32.64 a Sugar 16 in. diam.
 40.00 set gr. sec. post. from which
 a Beech 6 in. dia. bears N 65 E. 16 lks. dist.
 & a Do. 7 " " " N 10 E. 4 " "
 61.15 a stream 12 lks. wide N 70 W.
 80.00 a wh. Oak 3 feet in diam. stands
 for post Cor. to sec. 5, 6, 7 & 8, f. wh.
 Over 3 $\frac{1}{2}$ rate land. The f. 1/2 much
 Broken Limb. Beech Oak & Poplar.

East Correct line between sec. 8 & 17.
 39.91 set gr. sec. post. from which
 a Beech 24 in. dia. bears N 44 E. 25 lks. dist.
 a Beech 16 " " " N 45 W. 18 " "
 79.82 Section Corner.
 January 19th 1811.

North Between sec. 8 & 9.
 6.50 a stream 12 lks. wide runs N. W.
 44.65 a Beech 15 in. diam.
 40.00 set gr. sec. post. from which
 a Sugar 18 in. dia. bears N 45 E. 26 lks. dist.
 an Elm 8 " " " N 45 W. 10 " "
 54.35 a Water Course 10 lks. wide course W.
 68.40 a Do. 40 " " " N 30 E.
 80.00 set post Cor. to sec. 4, 5, 8 & 9, f. wh.
 a Beech 22 in. dia. bears S 45 W. 13 lks.
 a Buckeye 8 " " " N 10 E. 23 " dist.
 Land, Broken 3 $\frac{1}{2}$ rate land

T. B. N. R. 13 E. 2nd Mer. Indiana.

Ch. W. Limb. Beech Oak Poplar and
Sugar &c.

East Corner line betwⁿ Secs. 9 & 16.

39.96 1/2 set gr. sec. post. from which
a Beech 9 in. dia. bears N 43 W 4 lb. dist.
a Do. 10 " " " N 23 E 19 " "
79.93 Section corner.

North Between Secs. 9 & 10.

22.00 a stream 12 lb. wide C. N. E.
31.15 a Wh. Oak 16 in. dia.
40.00 set gr. sec. post. from which
a Beech 12 in. dia. bears N 79 E 18 lb. dist.
a Do. 22 " " " N 86 W 39 " "
58.00 a stream 10 lb. wide Course N. E.
80.00 set post cor. to Secs. 3, 4, 9 & 10. fr. wh.
a Beech 12 in. dia. bears S 73 W 25 lb. &
a Wash 9 " " " N 43 E 28 " dist.
3 1/2 rate land. — Beech, Poplar, Sugar.

East Corner line betwⁿ Secs. 10 & 15.

40.18 set gr. sec. post. from which
a Beech 15 in. dia. bears N 25 W 28 lb. dist.
a Sugar 8 " " " S 89 E 7 lb. dist.
80.36 Section corner.

North Between Secs. 10 & 11.

27.30 a Wh. 15 in. diam.
40.00 set gr. sec. post. from which
a Beech 9 in. dia. bears N 28 W 5 lb. dist. &
a Sugar 12 " " " N 89 W 8 " "
71.20 a Do. 8 " "
80.00 set post cor. to Secs. 2, 3, 10 & 11. fr. wh.
a Sugar 12 in. dia. bears N 67 E 8 lb. dist.
& Maple 8 " " " N 55 W 3 " "

T. 13 N. R. 13 E. 2nd Mer. Indiana.

ch. 4th. Over level 2nd rate, Timber: Beech
Oak Poplar and Sugar.

East Corner line between Sec. 11 & 14.

40.00 Set gr. Sec. post, from which
a Beech 8 in. dia. bears S 69 E. 7¹/₂ lbs. dist. &
a Poplar 15 " " " N 38 W. 14 " "
80.00 Section corner.

North Between Sec. 11 & 12.

24.00 a Run 20 lbs. wide cor. N 80 E.
28.30 a Beech 15 in. diam.
40.00 Set gr. Sec. post, from which
a Beech 14 in. dia. bears S 29 E. 21 lbs. dist.
a Beech 5 in. dia. bears N 27 W. 16 lbs. dist.
49.80 a stream 12 lbs. wide course N.E.
54.30 a Do. 12 " " " E.
80.00 Set post cor. to Sec. 12, 11 & 12, from which
a Beech 10 in. dia. bears S 72 E. 13 lbs. dist. &
a Do. 8 " " " N 57 W. 31 " "
This mile over hilly 3rd rate land
Timber: Oak Beech and Poplar.

East Between Sec. 12 & 13.

January 20th 1811.

29.50 a Run 20 lbs. wide course S 30 E.
37.50 an extraordinary spring 25 lbs. S. of line
course South.
40.00 Set gr. Sec. post, from which
a Bl. Oak 8 in. dia. bears S 20 E. 8 lbs. dist. &
a Wh. Oak 15 " " " N 32 E. 37 " "
43.25 a Blue Ash 16 in. diam.
81.83 To Town Boundary 226 lbs. S. of post. &
Set post, fromth (cor. to Sec 12 & 13.)
a Wh. Ash 20 in. dia. bears N 66 E. 26 lbs. dist.
a Sugar 12 " " " S 30 W. 44 " "

T. 13. N. R. 13. E. 2nd Mer. Indiana.

Ch. 40.

This mile over 2nd rate land.
Timber with Beech Poplar &
Sugar.

East Between Sec. 1 & 12.

19.53 a Maple 15 in. diam.

24.35 a stream 14 lb. wide Course S.

40.00 Set gr. sec. post. from which
a Beech 4 in. dia. bears S 51 E. 11 lb. dist.
& a Do. 14 " " " N 40 W. 16 " "

68.25 a Run 20 lb. wide Course S.

70.80 a B. Gum 20 in. diam.

81.76 To Town Boundary line 26.5 lb. S.
of Holmes post and Set post. corner
to Sec. 1 & 12, from which
a Sugar 14 in. dia. bears N 86 E. 41 lb. dist. &
a Do. 8 " " " N 74 W. 21 " "
Over 2nd rate land, Timber, Beech
Oak Poplar and Sugar &c.

West On Random betwⁿ sec. 2 & 11.

40.00 Set temp. 3. gr. sec. post.

79.87 Intersect N & S. line 13 lb. S. of post.
Timber Beech Poplar Sugar and Oak.
Over level 2nd rate land.

West On Random between Sec. 3 & 10.

40.00 Set temp. 3. gr. sec. post.

44.51 a stream 12 lb. wide Course N. W.

64.25 a stream 10 lb. wide Course N.

80.20 Intersect N & S. line 8 lb. S. of post.

This mile over level 2nd rate
land. Timber, Beech Poplar Sugar
and Oak.

West On Random betwⁿ sec. 4 & 9.

T. 13 N. R. 13 E. 2nd Mer. Ind^a

28.00 a stream 6th wide C. N.W.
 40.00 set gr. sec tempy. post.
 79.84 Intersect N & E line 13th N. of post.
 This mile over level 2nd rate
 land. Timb. Beech Poplar Sugar
 and Oak.

West On Random between Secs 5 & 8.
 29.50 a small stream Course N.
 40.00 set gr. sec. tempy post.
 79.93 Intersect N & E line 20th E. of post.
 Over level 3rd rate land.
 Timb. Beech, Oak, Poplar & Sugar.

West On Random between Secs 6 & 7.
 33.85 a stream 12th wide N 65 W.
 40.00 set tempy. gr. sec. post.
 44.85 a stream 12th wide N 70 W.
 64.00 a small stream runs N.W.
 80.15 Intersect N & E line 24th N. of post.
 This distance over broken 3rd rate
 land. Timber Beech Oak & Poplar
 January 21st 1811.

East Correct line between Secs 6 & 7.
 40.07¹/₂ set gr. sec. post. from which
 a Beech 24 in. dia. bears N 36 W. 24th dist.
 & a Do. 16 " " " N 40 W. 16 " "
 80.15 Section Corner.

North Between Secs 5 & 6.
 25.20 a Beech 12 in. diam.
 40.00 set gr. sec. post. from which
 a Beech 14 in dia. bears N 25 W. 9th dist. &
 a Do. 6 " " " N 4 E. 16 " "
 60.10 a Do. 18 " "

82.06 Intersect Town. boundary 107 Ch. W. of post.
and set post cor. to sec. 5 & 6, from which
a Sugar 22 in. dia. bears N 81 E. 35 Ch. dist. &
a Beech 22 " " " N 81 W. 22 " "
This mile over 2nd rate land with
gentle ascents and descents. Timb.
Beech Poplar Sugar and some Oak.

East Correct line between sec. 5 & 8.

39.96 1/2 Set q. sec. post. from which
a Beech 18 in. dia. bears S 7 E. 20 Ch. dist.
& a Do. 17 " " " N 82 W. 30 " "

79.93 Section corner.

North Between sec. 4 & 5.

9.38 a Beech 24 in. diam.

32.00 a stream 8 Ch. wide course E.

35.00 a stream 10 " " " E.

40.00 Set q. sec. post. from which
a Hickory 8 in. dia. bears N 83 W. 35 Ch.
a Wh. Oak 14 " " " S 46 E. 33 " dist.

48.50 a Run 30 Ch. wide course N 30 W.

66.85 a Beech 24 in. diam.

82.84 Intersect N. Boundary 162 Ch. W. of
Holmes Post and set post cor. to Sec.

4 & 5, from which
a Beech 6 in. dia. bears S 32 W. 18 Ch. dist.
a Do. 18 " " " S 85 E. 33 " "

This mile over level rich land.
Timb. Beech, Poplar Sugar and
Oak.

East Correct line between Sec. 4 & 9.

39.92 Set q. sec. post. from which
a Sugar 8 in. dia. bears N 82 E. 16 Ch. dist. &
a Do. 10 " " " S 61 W. 30 " "

T. 13 N. R. 13 E. 2nd Mer. Ind^a

79.84 Section corner.

North Between Secs. 3 & 4.

31.00 a Run 25 lb. wide cor. N 80 W.

32.25 a Sugar 15 in. diam.

40.00 Set q. sec. post, from which
a Beech 15 in. dia. bears West 10 lb. dist.

a Do. 15 " " " N 21 E. 24 " "

62.50 a stream 7 lb. wide course W.

63.08 a Poplar 4 feet in. diam.

66.60 a stream 6 lb. wide course S. W.

79.25 a Run 25 " " " S. W.

82.62 To Town Boundary line 150
lb. W. of Holmes post and Set
post cor. to Secs. 3 & 4, from which
a Beech 10 in. dia. bears N 62 E. 20 lb. dist.
a Sugar 20 " " " N 41 W. 25 lb. dist.
This mile over 3rd rate land
Timb. Beech, Poplar and Sugar.

East Corner line between Secs. 3 & 10.

40.10 Set q. sec. post, from which
a Wh. Oak 6 in. dia. bears S 80 W. 30 lb. dist.
a Beech 14 " " " N 26 E. 15 " "

86.20 Section corner.

North Between Secs. 2 & 3.

January 22nd 1811.

12.00 a stream 8 lb. wide cor. N. 20 W.

28.75 a Run 16 " " " N. W.

40.00 Set q. sec. post, from which
a Beech 12 in. dia. bears S 82 E. 12 lb. &
a Do. 20 " " " S 22 W. 18 " dist.

60.15 a Beech 30 in. diam.

82.61 Intersect Town Boundary line 167
W. of post and Set post cor. to Secs. 2 & 3

364

T. 13 N. R. 13 E. 2nd Mer. Indiana.

Ch. 4th. a Beech 8 in. dia. bears S 44 E. 11 lks. dist. &
a Do. 8 " " " West 13 " "
Over level 2nd rate land. Timb.
Beech Sugar Poplar Oak & Alb.

East corner line between sec. 2 & 11.

39.93 1/2 set gn. sec. post. from which
a Beech 12 in. dia. bears N 34 E. 12 lks. &
a Hickory 18 " " " S 64 W. 4 " dist.)
79.87 Section corner.

North Between Sec. 1 & 2.

34.10 a Wh. Alb 12 in. dia.

40.00 set gn. sec. post. from which
a Beech 20 in. dia. bears N 72 W. 30 lks. dist.)
& a Do. 12 " " " S 33 E. 18 " "

50.25 a Do. 20 " "

76.65 a stream 10 lks. wide course W.

82.50 To Town Boundary 16.3 lks. W. of
Holmes post and set a post cor.

To sec. 1 & 2, from which

a Beech 20 in. dia. bears North 16 lks. &

a Do. 5 " " " S 49 E. 14 " dist.)

Over level 2nd rate land. Tim.

Beech, Poplar Sugar Oak and Alb.

Surveyed in 1844.

Wm. Ludlow,
Deputy Surveyor.

I certify that the foregoing transcripts of
field notes of Township N. 13 North in
Range N. 13 East, 2nd Mer. Indiana
has been compared with the Original
field notes in this office & found to be correct.

Surveyor General's Office

Detroit Nov. 1. 1849. } Lucius Lyon,

Sut. Genl.